# Contents to volume 222

## Hypothesis

A possible structure for α-crystallin (FEB 05135) *R.C. Augusteyn, J.F. Koretz* 1

## Research Letters

Chemical modification of the carboxyl groups of protein substrates enhances their thrombin susceptibility (FEB 05132) *V. Steiner, J.-Y. Chang* 6

Antigenic relatedness between phospholipases $A_2$ from *Naja naja* venom and from mammalian cells (FEB 05124) *J. Masliah, C. Kadiri, D. Pepin, T. Rybkine, J. Etienne, J. Chambaz, G. Bereziat* 11

Immunological heterogeneity of hepatic alanine:glyoxylate aminotransferase in primary hyperoxaluria type 1 (FEB 05129) *P.J. Wise, C.J. Danpure, P.R. Jennings* 17

Short and long term influence of phenothiazines on liver peroxisomal fatty acid oxidation in rodents (FEB 05130) *C. Van den Branden, J. Vamecq, G. Dacremont, N. Premereur, F. Roels* 21

Adenylate cyclase stimulating agents and mitogens raise fructose 2,6-bisphosphate levels in human fibroblasts: Evidence for a dual control of the metabolite (FEB 05128) *P. Bruni, V. Vasta, M. Farnararo* 27

On the rate of $F_1$-ATPase turnover during ATP hydrolysis by the single catalytic site: Evidence that hydrolysis with a slow rate of product release does not occur at the alternating active site (FEB 05125) *Ya.M. Milgrom, M.B. Murataliev* 32

Time-dependent cGMP-activated conductance of detached patches of ROS plasma membrane (FEB 05126) *S.S. Kolesnikov, A.B. Jainazarov, E.E. Fesenko* 37

Changes in the expression of *N*-acetylglucosaminyltransferase III, IV, V associated with the differentiation of HL-60 cells (FEB 05118) *A.H.L. Koenderman, P.W. Wijermans, D.H. van den Eijnden* 42

Developmental changes in the lateral diffusion of Leydig cell membranes measured by the FRAP method (FEB 05127) *I.V. Zlatanov, M. Foley, J. Birmingham, P.B. Garland* 47

G-proteins in *Torpedo marmorata* electric organ: Differential distribution in pre- and post-synaptic membranes and synaptic vesicles (FEB 05123) *M. Toutant, J. Bockaert, V. Homburger, B. Rouot* 51

Effects of substitution of putative transmembrane segments on nicotinic acetylcholine receptor function (FEB 05121) *T. Tobimatsu, Y. Fujita, K. Fukuda, K. Tanaka, Y. Mori, T. Konno, M. Mishina, S. Numa* 56

Nicotinic acetylcholine receptors in cultured neurons from the hippocampus and brain stem of the rat characterized by single channel recording (FEB 05120) *Y. Aracava, S.S. Deshpande, K.L. Swanson, H. Rapoport, S. Wonnacott, G. Lunt, E.X. Albuquerque* 63

$\nabla^{E}Phe^{4}$-enkephalin analogs: Delta receptors in rat brain are different from those in mouse vas deferens (FEB 05119) *Y. Shimohigashi, T. Costa, A. Pfeiffer, A. Herz, H. Kimura, C.H. Stammer* 71

A new approach for EPR detection of hydroxyl radicals by reaction with sterically hindered cyclic amines and oxygen (FEB 05122): *I. Rosenthal, C.M. Krishna, G.C. Yang, T. Kondo, P. Riesz* 75

Primary structure of α-bungarotoxin: Six amino acid residues differ from the previously reported sequence (FEB 05131) *M. Ohta, K. Ohta, H. Nishitani, K. Hayashi* 79

Amino acid sequence of a 32-residue region around the thiol ester site in duck ovostatin (FEB 05100) *H. Nagase, K. Brew* 83

Cleavage and sequence recognition of 2,6-diaminopurine-containing DNA by site-specific endonucleases (FEB 05138) *M. Szekeres, A.V. Matveyev* 89

*Published by Elsevier Science Publishers B.V. (Biomedical Division)*
00145793/87/$3.50 © 1987 Federation of European Biochemical Societies

Mitochondrial aldehyde dehydrogenase: Homology of putative targeting sequence to that of carbamyl phosphate synthetase I revealed by correlation of cDNA and protein data (FEB 05094) *J. Hempel, J.-O. Höög, H. Jörnvall* 95
Acetylated N-terminal structures of class III alcohol dehydrogenases: Differences among the three enzyme classes (FEB 05068) *T. Fairwell, P. Julià, R. Kaiser, B. Holmquist, X. Parés, B.L. Vallee, H. Jörnvall* 99
Demonstration that LSTRA cells have an elevated level of proteins phosphorylated on tyrosine residues (FEB 05089) *R.E. Thom, J.E. Casnellie* 104
Complete assignment of lysine resonances in $^1$H NMR spectra of proteins as probes of surface structure and dynamics (FEB 05136) *W.J. Chazin, M. Rance, P.E. Wright* 109
Assignment of hyperfine shifted haem methyl carbon resonances in paramagnetic low-spin met-cyano complex of sperm whale myoglobin (FEB 05137) *Y. Yamamoto* 115
Surface enhanced resonance Raman scattering as a probe of the spin state of structurally related cytochromes P-450 from rat liver (FEB 05141) *K. Kelly, B.N. Rospendowski, W.E. Smith, C.R. Wolf* 120
Modification of the GABA/benzodiazepine receptor with the arginine reagent, 2,3-butanedione (FEB 05140) *K.B. Widdows, E.F. Kirkness, A.J. Turner* 125
Identification of *erythro*-β-hydroxyasparagine in the EGF-like domain of human C1r (FEB 05134) *G.J. Arlaud, A. Van Dorsselaer, A. Bell, M. Mancini, C. Aude, J. Gagnon* 129
Heterogeneity in cDNA clones encoding rice glutelin (FEB 05147) *C.-S. Wang, K. Shastri, L. Wen, J.-K. Huang, B. Sonthayanon, S. Muthukrishnan, G.R. Reeck* 135
Sequence conservation in the 3′-untranslated regions of neurone-specific enolase, lymphokine and protooncogene mRNAs (FEB 05142) *I.N.M. Day, M.T.E.P. Allsopp, D.C.M. Moore, R.J. Thompson* 139
Elevation of $pH_i$ is not an essential step in calcium mobilisation in fura-2-loaded human platelets (FEB 05144) *A.W.M. Simpson, T.J. Rink* 144
Calcium-activated membrane depolarization via modulation of chloride efflux from parietal cells during gastrin stimulation (FEB 05143) *Y. Tsunoda, H. Matsumiya* 149
Effect of lipid fluidity upon the activity and structure of the 39 kDa porin from *Enterobacter cloacae* 908S (FEB 05156) *R. Ghosh, R. Aggeler* 154
The effects of dietary fish oil on hepatic high density and low density lipoprotein receptor activities in the rat (FEB 05153) *P.D. Roach, A.M. Kambouris, R.P. Trimble, D.L. Topping, P.J. Nestel* 159
ATP synthesis by the $(Na^+ + K^+)$-ATPase in the absence of an ionic gradient: Effects of organic solvent (FEB 05158) *V.L. Goncalves de Moraes, L. de Meis* 163
Fructose 2,6-bisphosphate and glucose 1,6-bisphosphate in rabbit erythroid cells during differentiation (FEB 05159) *C. Gallego, R. Bartrons, J. Carreras* 167
Characterization of the free radical in a plant ribonucleotide reductase (FEB 05155) *J. Harder, H. Follmann* 171
Construction of a hybrid cDNA encoding a major legumin precursor polypeptide and its expression and localization in *Saccharomyces cerevisiae* (FEB 05154) *J.N. Yarwood, N. Harris, A. Delauney, R.R.D. Croy, J.A. Gatehouse, M.D. Watson, D. Boulter* 175
A new 5′-non-coding region for human placental insulin-like growth factor II mRNA expression (FEB 05157) *Y. Le Bouc, P. Noguiez, P. Sondermeijer, D. Dreyer, F. Girard, M. Binoux* 181
Human protein S cDNA encodes Phe-16 and Tyr 222 in consensus sequences for the post-translational processing (FEB 05149) *H.K. Ploos van Amstel, A.L. van der Zanden, P.H. Reitsma, R.M. Bertina* 186
Localization of mRNAs encoding the α-subunits of signal-transducing G-proteins within rat brain and among peripheral tissues (FEB 05145) *M.R. Brann, R.M. Collins, A. Spiegel* 191
Cloning and localization of the repressor gene (*c*) of the Mu-like transposable phage D108 (FEB 05148) *D.B. Levin, M.S. DuBow* 199
Evidence that the 116 kDa component of kinesin binds and hydrolyzes ATP (FEB 05146) *S.M. Penningroth, P.M. Rose, D.D. Peterson* 204
Amino acid sequence surrounding the lipoic acid cofactor of bovine kidney 2-oxoglutarate dehydrogenase complex (FEB 05150) *A.P. Bradford, A. Aitken, F. Beg, K.G. Cook, S.J. Yeaman* 211

Inactivation of the catecholamine transporter during the preparation of chromaffin granule membrane 'ghosts' (FEB 05151) *B. Gasnier, D. Scherman, J.-P. Henry* 215

Book Reviews and Booklist no. 77 220

## FEBS News

FEBS Officers as of December 1987 231

Notes to Authors 233

## Review-Hypothesis

A new redox loop formality involving metal-catalysed hydroxide-ion translocation: A hypothetical Cu loop mechanism for cytochrome oxidase (FEB 05115) *P. Mitchell* 235

## Research Letters

The enzymatic oxidation of Desferal to a nitroxide free radical (FEB 05162) *K.M. Morehouse, W.D. Flitter, R.P. Mason* 246

[4,4′-(*Z*)-Dehydrophenylalanine]gramicidin S with stabilized bioactive conformation and strong antimicrobial activity (FEB 05161) *Y. Shimohigashi, H. Kodama, S. Imazu, H. Horimoto, K. Sakaguchi, M. Waki, H. Uchida, M. Kondo, T. Kato, N. Izumiya* 251

Characterization of glucacon receptors in Golgi fractions of fetal rat liver (FEB 05152) *J.G. de Diego, E. Alvarez, E. Blázquez* 256

Epidermal and transforming growth factors modulate secretion of a 69 kDa phosphoprotein in normal rat kidney fibroblasts (FEB 05163) *G.R. Laverdure, D. Banerjee, I. Chackalaparampil, B.B. Mukherjee* 261

Modulation of retinal transducin and phosphodiesterase activities by synthetic peptides of the phosphodiesterase $\gamma$-subunit (FEB 05165) *D.F. Morrison, M.A. Rider, D.J. Takemoto* 266

Metabolic stability of the fucose in rat transferrin (FEB 05164) *E. Regoeczi, P.A. Chindemi* 271

X-ray absorption studies on bacteriorhodopsin (FEB 05168) *M. Engelhard, B. Hess, M. Chance, B. Chance* 275

A yeast gene coding for a putative protein kinase homologous to *cdc25* suppressing protein kinase (FEB 05167) *S. Ohno, M. Aoshima, S. Matsumoto, I. Yahara, K. Suzuki* 279

The 3′-orf protein of human immunodeficiency virus 2 shows sequence homology with the *bel*3 gene of the human spumaretrovirus (FEB 05177) *B. Maurer, R.M. Flügel* 286

Induction of c-*fos* proto-oncogene by a chemotactic peptide in human peripheral granulocytes (FEB 05174) *M. Itami, T. Kuroki, K. Nose* 289

The *bcr*-c-*abl* tyrosine kinase activity is extinguished by TPA in K562 leukemia cells (FEB 05171) *R. Alitalo* 293

Effects of protein kinase C activation on human platelet cyclic AMP metabolism (FEB 05173) *M. Bushfield, S.L. Hopple, I.F. Gibson, F.A. Murdoch, D.E. MacIntyre* 299

Protein kinase C and cAMP-dependent protein kinase induce opposite effects on actin polymerizability (FEB 05180) *Y. Ohta, T. Akiyama, E. Nishida, H. Sakai* 305

Cytoskeletal protein synthesis and organization in cultured mouse osteoblastic cells: Effects of cell density (FEB 05181) *A. Lomri, P.J. Marie, M. Escurat, M.-M. Portier* 311

Pertussis toxin does not affect the time course of exocytosis in mast cells stimulated by intracellular application of GTP-$\gamma$-S (FEB 05170) *M. Lindau, O. Nüße* 317

Histone acetyltransferase activity during the cell cycle (FEB 05169) *G. Golderer, P. Loidl, P. Gröbner* 322

Transfer of functional opiate receptors from membranes to recipient cells by polyethylene glycol-induced fusion (FEB 05179) *B. Tocqué, A. Pfeiffer, A. Klee* 327

Tissue-specific binding of a nuclear factor to the insulin gene promoter (FEB 05175) *C.E. Sample, D.F. Steiner* 332
A mouse renin promoter containing the conserved decanucleotide element binds the same B-cell factors as an authentic immunoglobulin heavy chain promoter (FEB 05182) *M. Ekker, N. Doyen, M. Leblond-Francillard, F. Rougeon* 337
Macrophage colony-stimulating factor purified from normal human urine: Amino-terminal sequence and amino acid composition (FEB 05166) *N. Sakai, T. Umeda, H. Suzuki, Y. Ishimatsu, M. Shikita* 341
Inhibition of insect juvenile hormone synthesis by phorbol 12-myristate 13-acetate (FEB 05172) *R. Feyereisen, D.E. Farnsworth* 345
$Ca^{2+}$ uptake and $IP_3$-induced $Ca^{2+}$ release in permeabilized human lymphocytes (FEB 05176) *G. Eberl, K. Schnell* 349
Vitamin K-dependent carboxylase: Possible role for thioredoxin in the reduction of vitamin K metabolites in liver (FEB 05178) *L.J.M. van Haarlem, B.A.M. Soute, C. Vermeer* 353

## Correspondence

The cell-free interaction between chromaffin granules and plasma membranes: An in vitro model for exocytosis? (FEB 05160(1)) *J. De Block, W. De Potter* 358

Comment on the letter of Drs De Block and De Potter (FEB 05160(2)) *F. Konings* 359

Author Index 360

Table of Contents 365

Notes of Authors 369